

National configurations addendum

Copyright © 2023 Inxpect S.p.A. - All Rights Reserved

<i>Revision</i>	<i>Author</i>	<i>Date</i>	<i>Notes</i>
v01	B.Treachi	09/05/2023	Initial version
v02	B.Treachi	03/08/2023	Added FCC Rules

<i>Revision</i>	<i>Approved by</i>	<i>Date</i>
v01		

1. Conformity

1.1 U.S. – FCC

Each of the following devices complies with part 15 of the FCC Rules:

- MSK-101
- MSK-101-MM
- MSK-101-POE
- MSK-101-MM-POE

Operation is subject to the following two conditions:

- this device may not cause harmful interference, and
- this device must accept any interference received, including interference that may cause undesired operation

NOTICE: changes or modifications not expressly approved by Inxpect S.p.A. could void the user's authority to operate the equipment.

Note: these equipments have been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules.

These limits are designed to provide reasonable protection against harmful interference in a residential installation.

These equipments generate, use, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

If these equipments do cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

To ensure compliance with FCC RF exposure requirements the sensor must be installed to provide a minimum of 20 cm between the device and people.

1.2 Canada - ISED

Each of the following devices contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s):

- MSK-101
- MSK-101-MM
- MSK-101-POE
- MSK-101-MM-POE

Operation is subject to the following two conditions:

- This device may not cause interference.
- This device must accept any interference, including interference that may cause undesired operation of the device.

To ensure compliance with ISED RF exposure requirements the sensor must be installed to provide a minimum of 20cm between the device and people.

L'émetteur/récepteur exempt de licence contenu dans MSK-101, MSK-101-POE, MSK-101-MM et MSK-101-MM-POE est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes:

- L'appareil ne doit pas produire de brouillage.
- L'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

Pour garantir la conformité aux exigences d'exposition RF d'ISED Canada, le dispositif doit être installé de manière à laisser un minimum de 20 cm entre l'appareil et les personnes.

2. National Configurations

2.1 Installation and use in Canada

During the first configuration of one of the following devices

- MSK-101
- MSK-101-MM
- MSK-101-POE
- MSK-101-MM-POE

choose Canada country either in the first start wizard of the *Inxpect Security* app, in the PC configuration software (*Inxpect Security Configurator*) or in the web interface, in order to comply with the ISED regulations of Canada.